

References

Articles

- [1] “The difference between consecutive prime numbers,” *J. London Math. Soc.* **13** (1938) 242–247.
- [2] “Contributions to the theory of Ramanujan’s function $\tau(n)$ and similar arithmetical functions. I. The zeros of the function $\sum_{n=1}^{\infty} \tau(n)/n^s$ on the line $\Re s = 13/2$,” *Proc. Cambridge Philos. Soc.* **35** (1939) 351–356.
- [3] “Contributions to the theory of Ramanujan’s function $\tau(n)$ and similar arithmetical functions. II. The order of the Fourier coefficients of integral modular forms,” *Proc. Cambridge Philos. Soc.* **35** (1939) 357–373.
- [4] “Contributions to the theory of Ramanujan’s function $\tau(n)$ and similar arithmetical functions. III. A note on the sum function of the Fourier coefficients of integral modular forms,” *Proc. Cambridge Philos. Soc.* **36** (1940) 150–151.
- [5] “The difference between consecutive prime numbers. II,” *Proc. Cambridge Philos. Soc.* **36** (1940) 255–266.
- [6] “On the representations of a number as a sum of squares and certain related identities,” *Proc. Cambridge Philos. Soc.* **41** (1945) 1–11.
- [7] “A note on a particular type of asymptotic series,” *Philos. Mag.* (7) **36** (1945) 860–861.
- [8] “A certain class of multiplicative functions,” *Duke Math. J.* **13** (1946) 281–306.
- [9] (with D. G. Kendall) “On the number of Abelian groups of a given order,” *Quart. J. Math., Oxford Ser.* (1) **18** (1947) 197–208.
- [10] “On the closest packing of spheres in n dimensions,” *Ann. Math.* (2) **48** (1947) 1062–1081.
- [11] “The difference between consecutive prime numbers. III,” *J. London Math. Soc.* **22** (1947) 226–230.
- [12] “A campanological problem in group theory,” *Proc. Cambridge Philos. Soc.* **44** (1948) 17–25.
- [13] “On sums of powers of linear forms. III,” *Nederl. Akad. Wetensch., Proc.* **51** (1948) 846–853.
- [14] (under the name Rob Alasdair Mac Fhraing) “The numbering of Fionn’s and Dubhan’s men, and the story of Josephus and the forty Jews” (Gaelic), *Proc. Roy. Irish Acad. Sect. A* **52** (1948) 87–93.

- [15] “The mathematical theory of the motion of rotated and unrotated rockets,” *Philos. Trans. Roy. Soc. London Ser. A* **241** (1949) 457–585.
- [16] “On sums of powers of linear forms. I,” *Ann. Math. (2)* **50** (1949) 691–698.
- [17] “On sums of powers of linear forms. II,” *Ann. Math. (2)* **50** (1949) 699–704.
- [18] “The difference between consecutive prime numbers. IV,” *Proc. Amer. Math. Soc.* **1** (1950) 143–150.
- [19] “The scalar product of modular forms,” *Proc. London Math. Soc. (3)* **2** (1952) 198–217.
- [20] “A problem concerning the product of the differences of n variables,” *Norske Vid. Selsk. Forh., Trondheim* **25** (1952) 50–53.
- [21] “The anomaly of convex bodies,” *Proc. Cambridge Philos. Soc.* **49** (1953) 54–58.
- [22] “A problem concerning three-dimensional convex bodies,” *Proc. Cambridge Philos. Soc.* **49** (1953) 44–53.
- [23] “On positive definite quadratic forms,” *J. London Math. Soc.* **28** (1953) 309–314.
- [24] (with D. G. Kendall) “On the number of points of a given lattice in a random hypersphere,” *Quart. J. Math., Oxford Ser. (2)* **4** (1953) 178–189.
- [25] “A minimum problem for the Epstein zeta-function,” *Proc. Glasgow Math. Assoc.* **1** (1953) 149–158.
- [26] (with J. M. Rushforth) “The coefficients of certain integral modular forms,” *Proc. Cambridge Philos. Soc.* **50** (1954) 305–308.
- [27] “On horocyclic groups,” *Proc. London Math. Soc. (3)* **4** (1954) 219–234.
- [28] “Chebyshev polynomials and the modular group of level p ,” *Math. Scand.* **2** (1954) 315–326.
- [29] “Van der Corput’s method and the theory of exponent pairs,” *Quart. J. Math., Oxford Ser. (2)* **6** (1955) 147–153.
- [30] “The closest packing of spherical caps in n dimensions,” *Proc. Glasgow Math. Assoc.* **2** (1955) 139–144.
- [31] “On packings of spheres in Hilbert space,” *Proc. Glasgow Math. Assoc.* **2** (1955) 145–146.
- [32] “On the minimal points of positive definite quadratic forms,” *Mathematika* **3** (1956) 15–24.

- [33] “The construction of automorphic forms from the derivatives of a given form,” *J. Indian Math. Soc. (N.S.)* **20** (1956) 103–116.
- [34] “Diophantine approximation and horocyclic groups,” *Canad J. Math.* **9** (1957) 277–290.
- [35] “The construction of automorphic forms from the derivatives of given forms,” *Michigan Math. J.* **4** (1957) 181–186.
- [36] “An inequality,” *Math. Gaz.* **42** (1958) 39–40.
- [37] “The construction of branched covering Riemann surfaces,” *Proc. Glasgow Math. Assoc.* **3** (1958) 199–207.
- [38] “Sir Edmund Whittaker’s work on automorphic functions,” *Proc. Edinburgh Math. Soc.* **11** (1958) 25–30.
- [39] “The Schwarzian derivative and uniformization,” *J. Analyse Math.* **6** (1958) 149–167.
- [40] (with J. A. C. Burlak and A. P. Robertson) “The packing of spheres in the space l_p ,” *Proc. Glasgow Math. Assoc.* **4** (1958) 22–25.
- [41] “A cyclic inequality,” *Proc. Edinburgh Math. Soc.* (2) **12** (1960/1961) 139–147.
- [42] “The differential equations associated with the uniformization of certain algebraic curves,” *Proc. Roy. Soc. Edinburgh Sect. A* **65** (1962) 35–62.
- [43] “Representations of a number as the sum of a large number of squares,” *Proc. Roy. Soc. Edinburgh Sect. A* **65** (1962) 318–331.
- [44] “Sets of integers containing not more than a given number of terms in arithmetical progression,” *Proc. Roy. Soc. Edinburgh Sect. A* **65** (1962) 332–344.
- [45] “The divisibility of divisor functions,” *Proc. Glasgow Math. Assoc.* **5** (1961) 35–40.
- [46] “A crystal dislocation problem,” *Proc. Cambridge Philos. Soc.* **57** (1961) 898–899.
- [47] “On sequences of integers containing no arithmetical progressions,” *Bull. Malayan Math. Soc.* **8** (1961) 43–52
- [48] “On the representation of a number as the sum of any number of squares, and in particular of twenty,” *Acta Arith.* **7** (1962) 399–407.
- [49] “Multiplicative functions and operators of Hecke type,” *Acta Math. Acad. Sci. Hungar.* **13** (1962) 81–89.
- [50] “Change of variable in an indefinite integral,” *Math. Gaz.* **43** (1962) 14–17.

- [51] “The difference between consecutive prime numbers. V,” *Proc. Edinburgh Math. Soc.* (2) **13** (1962/1963) 331–332.
- [52] “On the minimal points of perfect quadratic forms,” *Math. Z.* **84** (1964) 228–232.
- [53] “Difference sets,” *Acta Arith.* **9** (1964) 161–168.
- [54] “Sums of squares and cusp forms,” *Amer. J. Math.* **87** (1965) 857–860.
- [55] “Functions whose powers have non-negative Taylor coefficients,” *Proc. London Math. Soc.* (3) **14a** (1965) 239–248.
- [56] “A campanological problem in group theory. II,” *Proc. Cambridge Philos. Soc.* **62** (1966) 11–18.
- [57] “Isomorphic congruence groups and Hecke operators,” *Proc. Glasgow Math. Assoc.* **7** (1966) 168.
- [58] “Functions whose powers have non-negative Taylor coefficients. II. Corrigenda and further results,” *Proc. London Math. Soc.* (3) **16** (1966) 766–768.
- [59] “Common transversals,” *Proc. Edinburgh Math. Soc.* (2) **15** (1966/1967) 147–154.
- [60] “Hecke operators on congruence subgroups of the modular group,” *Math. Ann.* **168** (1967) 40–58.
- [61] “Lattice subgroups of free congruence groups,” *Invent. Math.* **2** (1967) 215–221.
- [62] “The zeros of Eisenstein series,” *Publ. Ramanujan Inst.* No. 1 (1968/1969) 137–144.
- [63] “Ramanujan’s function $\tau(n)$,” in 1970 *Symposia on Theoretical Physics and Mathematics*, Vol. 10, Inst. Math. Sci., Madras, 1969, pp. 37–45.
- [64] “Subgroups of the modular group generated by parabolic elements of constant amplitude,” *Acta Arith.* **18** (1971) 145–151.
- [65] “An Ω -result for the coefficients of cusp forms,” *Math. Ann.* **203** (1973) 239–250.
- [66] “Subgroups of the modular group defined by a single linear congruence,” *Acta Arith.* **24** (1973) 313–323.
- [67] “Elementary proofs of relations between Eisenstein series,” *Proc. Roy. Soc. Edinburgh Sect. A* **76** (1976/77) 107–117.

- [68] “Ramanujan’s unpublished work on congruences,” in *Modular Functions of One Variable, V (Proc. Second Internat. Conf., Univ. Bonn, Bonn, 1976)*, J.-P. Serre and D. B. Zagier, eds., Lecture Notes in Math., Vol. 601, Springer-Verlag, Berlin, 1977, pp. 3–15.
- [69] “Hecke operators, oldforms and newforms,” in *Discrete Groups and Automorphic Functions (Proc. Conf., Cambridge, 1975)*, W. J. Harvey, ed., Academic Press, London, 1977, pp. 363–375.
- [70] “Subgroups of the unimodular group defined by a congruence,” *Math. Proc. Cambridge Philos. Soc.* **86** (1979) 451–459.
- [71] “The vanishing of Poincaré series,” *Proc. Edinburgh Math. Soc.* (2) **23** (1980) 151–161.
- [72] “The Fourier coefficients of certain Eisenstein series,” *Analysis* **1** (1981) 229–239.
- [73] “Ramanujan’s manuscripts and notebooks,” *Bull. London Math. Soc.* **14** (1982) 81–97.
- [74] “The zeros of certain Poincaré series,” *Compositio Math.* **46** (1982) 255–272.
- [75] “Sums of powers of cusp form coefficients,” *Math. Ann.* **263** (1983) 227–236.
- [76] “The first hundred years (1883–1983),” *Proc. Edinburgh Math. Soc.* (2) **26** (1983) 135–150.
- [77] “Ramanujan as a patient,” *Proc. Indian Acad. Sci. (Math. Sci.)* **93** (1984) 79–100.
- [78] “The construction of automorphic forms from the derivatives of a given form. II,” *Canad. Math. Bull.* **28** (1985) 306–316.
- [79] “A family of newforms,” *Ann. Acad. Sci. Fenn. Ser. A I Math.* **10** (1985) 461–467.
- [80] “Sums of powers of cusp form coefficients. II,” *Math. Ann.* **272** (1985) 593–600.
- [81] “Fourier coefficients of cusp forms,” *Math. Proc. Cambridge Philos. Soc.* **100** (1986) 5–29.
- [82] “Srinivasa Ramanujan (1887–1920),” *Bull. Inst. Math. Appl.* **23** (1987) 145–152.
- [83] “Generalized Jacobsthal sums and sums of squares,” *Acta Arith.* **49** (1987) 5–14.

- [84] “Cusp forms of given level and real weight,” *J. Indian Math. Soc. (N.S.)* **51** (1987) 37–48.
- [85] “Ramanujan’s tau-function and its generalizations,” in *Ramanujan Revisited*, G. E. Andrews, R. A. Askey, B. C. Berndt, K. G. Ramanathan, and R. A. Rankin, eds., Academic Press, Boston, 1988, pp. 245–268.
- [86] “The adjoint Hecke operator, I,” *J. Madras Univ. Sect. B* **51** (1988) 22–42.
- [87] “The adjoint Hecke operator, II,” in *Number Theory and Related Topics (Bombay, 1988)*, Oxford University Press, Bombay, 1989, pp. 161–175.
- [88] “Ramanujan’s manuscripts and notebooks. II,” *Bull. London Math. Soc.* **21** (1989) 351–365.
- [89] “Diagonalizing Eisenstein series. I,” in *Analytic Number Theory (Allerton Park, IL, 1989)*, B. C. Berndt, H. G. Diamond, H. Halberstam, and A. Hildebrand, eds., Birkhäuser, Boston, 1990, pp. 429–450.
- [90] “The adjoint Hecke operator,” in *Automorphic Functions and Their Applications (Khabarovsk, 1988)*, N. Kuznetsov and V. Bykovsky, eds., Acad. Sci. USSR, Inst. Appl. Math., Khabarovsk, 1990, pp. 163–166.
- [91] “Sums of cusp form coefficients,” in *Conference on Automorphic Forms and Analytic Number Theory (Montreal, PQ, 1989)*, R. Murty, ed., Univ. Montréal, Montreal, 1990, pp. 115–121.
- [92] “Diagonalizing Eisenstein series. III,” in *Discrete Groups and Geometry (Birmingham, 1991)*, W. J. Harvey, ed., London Mathematical Society Lecture Note Ser. 173, Cambridge University Press, Cambridge, 1992, pp. 196–208.
- [93] “Diagonalizing Eisenstein series, II,” in *A Tribute to Emil Grosswald: Number Theory and Related Analysis*, M. Knopp and M. Sheingorn, eds., Contemp. Math. No. 143, American Mathematical Society, Providence, RI, 1993, pp. 525–537.
- [94] “Diagonalizing Eisenstein series. IV,” in *The Rademacher Legacy to Mathematics (University Park, PA, 1992)*, G. E. Andrews, D. M. Bressoud, and L. A. Parson, eds., Contemp. Math. No. 166, American Mathematical Society, Providence, RI, 1994, pp. 107–118.
- [95] “On certain meromorphic modular forms,” in *Analytic Number Theory (Allerton Park, IL, 1995)*, Vol. 2, B. C. Berndt, H. G. Diamond, and A. J. Hildebrand, eds., Birkhäuser, Boston, 1996, pp. 713–721.
- [96] “Burnside’s uniformization,” *Acta Arith.* **79** (1997) 53–57.

- [97] “G. H. Hardy as I knew him,” *Austral. Math. Soc. Gaz.* **25** (1998) 73–81; revised version in *Number Theory for the Millennium*, Vol. 3, M. A. Bennett, B. C. Berndt, N. Boston, H. G. Diamond, A. J. Hildebrand, and W. Philipp, eds., A K Peters, Natick, MA, 2002, pp. 191–203.
- [98] “Modular forms and Hecke operators,” in *Number Theory and its Applications (Ankara, 1996)*, C. Y. Yildirim and S. A. Stepanov, eds., Lecture Notes in Pure and Appl. Math., 204, Dekker, New York, 1999, pp. 151–169.
- [99] “Newforms for the modular group on spaces of dimension 2,” in *Number Theory in Progress (Zakopane-Kościelisko, 1997)*, Vol. 2, K. Györy, H. Iwaniec, and J. Urbanowicz, eds., de Gruyter, Berlin, 1999, pp. 1065–1070.
- [100] “Sums of squares: an elementary method,” in *Number Theory*, R. P. Bambah, V. C. Dumir, and R. Hans-Gill, eds., Hindustan Book Co., Delhi, 1999, pp. 371–399.
- [101] (with B. C. Berndt) “The books studied by Ramanujan in India,” *Amer. Math. Monthly* **107** (2000) 595–601.