

HOMEWORK 10

DUE WEDNESDAY, MAY 3RD

PROBLEM 1

Show that the valid sentences of first order logic, for any language L , are decidable by an oracle register machine with oracle Π_{halt} .

PROBLEM 2

(a). Given L any language, show that any formula $\psi(x)$ is equivalent to one with all the quantifiers at the beginning.

(b). Do this for $L = \{+, \cdot, 0, 1, <\}$ and ψ being the formula

$$(\neg \forall x(x < y^2)) \rightarrow (\exists x(x < z^3))$$

PROBLEM 3

Here is a definition (which I will also talk about in class on Friday): Let t be a term in the language $L = \{+, \cdot, <, 0, 1\}$. Say that a quantifier is *bounded* in a formula if it appears in the form $\exists x(x < t) \wedge \dots$ or $\forall x(x < t) \rightarrow \dots$. That is, a quantifier is bounded if the variable being quantified over ranges only over things less than t .

(a). Let $\psi(x_1, \dots, x_k)$ be a formula with of the form

$$Qy_1(Qy_2(\dots(Qy_n\varphi(y_1, \dots, y_n, x_1, \dots, x_k))\dots))$$

where each Qy_i stands for a bounded quantifier, and where φ contains no quantifiers. That is Qy_i is either $\exists y_i(y_i < t_i) \wedge \dots$ or $\forall y_i(y_i < t_i) \rightarrow \dots$ for some term t_i . Prove that the subset of the \mathbb{N}^k defined by $\psi(x)$ is decidable.

(b). Let $\theta(x)$ be of the form $\exists z_1 \exists z_2 \exists z_3 \dots \psi(z_1, \dots, z_n, x)$ for ψ as in part (a) (that is, ψ has only bounded quantifiers followed by something quantifier free). Show that the subset of \mathbb{N} defined by $\theta(x)$ is enumerable.